

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	(("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or ("6650694") or ("20070083685") or ("6701341") or ("6122703") or ("6791556") or ("6401162") or ("6834074") or ("6530059") or ("7139707") or ("6580771") or ("20010023634") or ("6624767") or ("20020176489") or ("6912244") or ("20030043159") or ("6985516") or ("20040047405") or ("7010016") or ("7002934") or ("7167531") or ("5222101") or ("7190749") or ("4706263") or ("20060215777") or ("4707841") or	US-PGPUB; USPAT	OR	OFF	2009/05/12 18:36

		("20070025424") or ("5311545") or ("20070040704") or ("5394437") or ("20070111664") or ("5539730") or ("5497153") or ("5550869") or ("5714950") or ("5625828") or ("6084883") or ("5666378") or ("5020080") or ("5878088") or ("5418778") or ("5930296") or ("5892980") or ("6075814") or ("6032033") or ("6122246") or ("6425091") or ("6128357") or ("6621876") or ("6317473") or ("6704324") or ("6369857") or ("6724851") or ("6393049") or ("20020122467") or ("6502138") or ("6507602") or ("6563861")).PN.				
S2	99	710/52.ccis. AND (@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S3	16	((@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S4	52	((@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S5	259	((@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S6	541	((@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S7	100	((@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36

S8	31	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv\$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S9	80	((@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S10	6	((@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S11	62	((@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S12	100	((@ay<="2002" OR @rlad<="20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S13	65	((@ay<="2002" OR @rlad<="20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S14	8	((@ay<="2002" OR @rlad<="20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S15	92	((@ay<="2002" OR @rlad<="20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S16	72	((@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:36
S17	185	((@ay<="2002" OR @rlad<="20020703") AND plurality NEAR5 buffer AND ((turn\$3 ADJ off) OR shut \$down OR disabl\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37

S18	62	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH buffer SAME ((turn\$3 ADJ off) OR shut \$down OR disabl\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S19	6	((("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567") or ("6714527")).PN.	US-PGPUB; USPAT	OR	OFF	2009/05/12 18:37
S20	713	((@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 ((turn\$3 ADJ off) OR (shut\$3 ADJ down) OR disabl\$3) WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S21	2	((("6650140") or ("6615307")).PN.	US-PGPUB; USPAT	OR	OFF	2009/05/12 18:37
S22	204	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (during OR while OR simultaneous\$2) WITH (receiv \$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S23	14	((("20010002199") or ("20010036195") or ("20030099210") or ("20030128678") or ("20030235238") or ("4991088") or ("5838671") or ("5963563") or ("6167062") or ("6496795") or ("6577649") or ("6603801") or ("6748010") or ("7035318")).PN.	US-PGPUB; USPAT	OR	OFF	2009/05/12 18:37
S24	27	("20010002199" "20010038633" "20020094017" "20020176489" "20030099210" "20030147365" "20040165567" "4347580" "4484028" "4550414" "4841574" "5164959" "5838671" "5864714" "5892980" "5963563" "6115728" "6122444" "6167062" "6577649" "6615307" "6650140" "6714527" "6721295" "6795489" "6853839" "6985516").PN. OR ("7406102").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/12 18:37

S25	3	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S26	30	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S27	34	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S28	5	((@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) SAME (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S29	402	((@ay<="2002" OR @rlad<="20020703") AND receiv\$3 WITH (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S30	158	((@ay<="2002" OR @rlad<="20020703") AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S31	65	((@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:37
S32	45	((@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND conditional WITH process\$3 SAME receiv\$3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:38

S33	82	((@ay<="2002" OR @rlad<="20020703") AND "375".das. AND process\$3 WITH (data OR sample OR symbol) SAME conditional WITH receiv\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:38
S34	948	((@ay<="2002" OR @rlad<="20020703") AND ("375/148" OR "375/316" OR "375/130").ccls. AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH process\$3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:38
S35	7	((@ay<="2002" OR @rlad<="20020703") AND receiv\$3 NEAR5 (next OR latter) NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:38
S36	4	"974935".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 18:38
S37	8	((("6647056") or ("6650694") or ("5164959") or ("4347580") or ("4484028") or ("4550414") or ("20020094017") or ("20030147365")).PN.	US-PGPUB; USPAT; EPO	OR	OFF	2009/05/12 18:43
S38	0	((@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 19:22
S39	0	((@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME (three OR five) WITH buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 19:22
S40	31	((@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 19:22

S41	74	((@ay<="2002" OR @rlad<="20020703") AND buffer AND processor WITH disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:19
S42	47	((@ay<="2002" OR @rlad<="20020703") AND buffer AND processor NEAR5 disabl\$3 WITH (finish\$3 OR complet\$3) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:52

5/ 19/ 2009 10:05:18 AM

C:\Documents and Settings\hyu\My Documents\EAST\Workspaces
 \10613897_CDMA_Buffer_A3.wsp